

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
1	2	376/\$.ccls. and eddy with (length and thickness)	USPAT; US-PGPUB; DERWENT	2004/06/07 06:50
2	0	376/\$.ccls. and eddy with (length and thickness)	USOCR	2004/06/07 06:50
3	2	376/\$.ccls. and eddy with (length and thickness)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 06:50
4	147	eddy with (length and thickness)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 06:51

L Number	Hits	Search Text	DB	Time stamp
15	0	(eddy adj current) with (tip and diamond)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 12:59
16	0	(eddy adj current) with (tip and diamond)	USOCR	2004/06/07 14:26
17	50	(eddy) with (resonant)	USOCR	2004/06/07 13:48
19	1	(eddy adj current) with (resonant adj sen\$4)	USPAT; US-PGPUB; DERWENT	2004/06/07 13:49
18	168	(eddy adj current) with (resonant)	USPAT; US-PGPUB; DERWENT	2004/06/07 13:52
20	0	(eddy adj current) with (resonant adj (sensor or probe))	USPAT; US-PGPUB; DERWENT	2004/06/07 13:53
21	7	(eddy adj current) and (resonant adj (sensor or probe))	USPAT; US-PGPUB; DERWENT	2004/06/07 14:00
22	0	magnascale and (resonant adj (sensor or probe))	USPAT; US-PGPUB; DERWENT	2004/06/07 14:00
23	0	magnescale and (resonant adj (sensor or probe))	USPAT; US-PGPUB; DERWENT	2004/06/07 14:00
24	0	magnescale and (resonant adj (sensor or probe))	USOCR	2004/06/07 14:00
25	0	magnescale and (resonant)	USOCR	2004/06/07 14:01
26	6	magnescale and (resonant)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:04
27	0	magnescale with (resonant)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:02
28	4	(magnetic adj transducers) with (resonant)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:05
29	27	(eddy adj current) with (tip)	USOCR	2004/06/07 14:27
30	0	((eddy adj current) with (tip)) and diamond	USOCR	2004/06/07 14:27
31	144	(eddy adj current) with (tip)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:27
32	3	((eddy adj current) with (tip)) and diamond	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:56
33	0	H001262 and spring adj steel	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 14:56
34	1	H001262 and steel	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:06
35	8	bending adj angle adj sensor	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:08

36	1	(bending adj angle adj sensor) with strain	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:10
37	0	(bending adj angle adj sensor) with strain	USOCR	2004/06/07 15:10
38	1	(bending adj angle) with strain	USOCR	2004/06/07 15:11
39	0	strain adj gauge with (bending adj angle)	USOCR	2004/06/07 15:24
40	1	strain adj gauge with (bending adj angle)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:23
41	20256	strain adj gauge	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:13
42	22	strain adj gauge and (bending adj angle)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:55
43	9	(strain adj gauge and (bending adj angle)) and (rod or tube)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:25
44	2897	(strain adj gauge) and bending	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:26
45	22	(strain adj gauge) and bending adj angle	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:26
46	32	(strain adj gauge) and nuclear adj (fuel or rod)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:27
47	9	(strain adj gauge) and ovality	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:38
48	171	(strain adj gauge) and (magnetic adj sensor)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:45
49	95	((strain adj gauge) and (magnetic adj sensor)) and (tube or rod)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:46
50	1	(strain adj gauge) and magnescale	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:49
51	16	magnetic adj (sensor or probe) and magnescale	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:49
52	10	strain adj gauge with magnetic adj (sensor or probe)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:58
53	0	ovality with magnetic adj (sensor or probe)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:54
54	22	strain adj gauge and (profilometer)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 15:56

55	0	strain adj gauge with magnetic adj (sensor or probe)	USOCR	2004/06/07 15:58
57	1	(strain adj gauge) and (oxide adj layer adj thickness)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:14
56	163	(strain adj gauge) and (oxide adj layer)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:16
58	9	(strain adj gauge) and (plural adj sensor)	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:25
59	1	magnescale and bending adj angle	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:27
60	0	magnescale with bending adj angle	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:27
61	0	magnescale and bending adj angle adj sensor	USPAT; US-PGPUB; EPO; DERWENT	2004/06/07 16:27
62	0	magnescale and bending adj angle adj sensor	USOCR	2004/06/07 16:28